



o you use two monitors? With the ASMA7500-Wing, both monitors will float above your desktop,

allowing you to quickly and easily adjust monitor height and position. Monitors can be positioned either sideby-side or one above the other.

Our adjustable wing bracket allows you to adjust monitors, and also allows rotation. The ASMA7500-Wing incorporates cable management – thread the cables right through the arm, keeping your work space clean and organized.

FEATURES

- ▲ Gas arm "floats" monitors above desktop for instant height adjustment
- Monitors can be positioned horizontally (side-by-side) or vertically (stacked one over another)
- ▲ Includes flexmount
- ▲ Quick-install/quick-release mechanism instantly and securely snaps monitors into position
- ▲ Compatible with all VESA monitors includes 75mm and 100mm VESA mounting plates
- ▲ Includes cable management system cables concealed in arm
- ▲ Accommodates monitors up to 24" widescreen (monitor widths may vary)






Horizontal/vertical positioning



Internal cable management




Arm folds to save space



Vertical range	+/- 9 (22.9 cm) from horizontal
Horizontal range	27 (68.6 cm)
Rotation	360 degrees at three joints
Monitor tilt	200 degrees
Monitor pivot	Landscape to portrait
Monitor compatibility	VESA® 75mm and 100mm
Cable management	Cables are concealed in arm
Mounting options	FLEXmount™, Slatwall, Wall, Thru-Desk
Monitor weight/model number	3.5 - 13.5 lbs (1.6 - 6.1 kg) / 7500-Wing-1000
	9 21 lbs (4.1 9.5 kg) / 7500 Wing 1500


WING BRACKET CAPABILITIES



Max monitor width23 (58.4 cm) per monitor

Monitor width is measured from end to end of the monitor as shown here: This measurement is based on a monitor depth of 2.5 (6.3 cm).

The depth of the monitor will have a slight effect on the overall max dimension.





4919 Jamestown Avenue Building 204F Baton Rouge, Louisiana 70808 U.S.A.

Toll-Free (800) 883-9050 International 001.225.928.4733 Fax (225) 928-4734 contact@abraxsyscorp.com