





odel ASMA9194 accommodates flat panel displays up to 198 lbs. This expandable mount tucks discretely out of view behind the display. The wall mount allows the monitor to be tilted downwards up to 15 degrees for an improved viewing angle. An integrated level is included for fast and easy setup. The display may optionally be secured with a small padlock (not included). Ideal for homes, conference rooms, stores, public areas, restaurants and more. Anywhere you need to mount a large-screen LCD or plasma monitor.

## **FEATURES**

- ▲ Expandable accommodates flat panel displays up to 198 lbs.
- ▲ Adjust screen tilt by -15 degrees
- ▲ Low profile mount concealed behind display
- ▲ Includes integrated level to ensure correct setup
- ▲ Security option accommodates padlock to secure display
- ▲ Includes cable manager
- ▲ Mounts to drywall (studs) or concrete surfaces



Expandable arms and crossbar accomodates a wide range of screen sizes




Integrated level



Security option (padlock not included)

NOTE: DEPTH OF UNIVERSAL WALL MOUNT ASSEMBLY, I.E. DISTANCE FROM PLASMA SCREEN MOUNTING PLATE FACE TO WALL MOUNTING BRACKET FACES IS 3.5".



## ASMA9194 WALL MOUNT PATTERN SCALE: 1:4



4919 Jamestown Avenue Building 204F Baton Rouge, Louisiana 70808 U.S.A.

Toll-Free (800) 883-9050 International 001.225.928.4733 Fax (225) 928-4734 contact@abraxsyscorp.com